

For more information on all ASE Iridium Docking Stations & Solutions

Call us at 1-877-299-9931 or 619-207-4117
Email: info@northernaxcess.com

— ASE HEADQUARTERS DOCK —
(supports PTT)



EXTEND YOUR IRIDIUM REACH

ASE RESILIENCE

EXTEND YOUR IRIDIUM REACH

- ✓ HEADQUARTERS VOICE
- ✓ PTT ENABLED!
- ✓ SUPPORTS EXTERNAL SPEAKER FOR CONFERENCE CALLS
- ✓ INTEGRATION WITH OFFICE INFRASTRUCTURE VIA POTS SYSTEM



ALSO AVAILABLE: ASE-9575-BAGDOCK

ASE-9575-BAGDOCK is a battery powered dock that supports both the standard 9575 Extreme and the 9575 PTT.

This dock provides communication on the move in a compact, portable package.

ASE RESILIENCE



WHAT'S IN THE BOX?

ASE-9575-HQ-P

CONTENTS:
 docking cradle
 swivel/desk wall mount
 fist mic/speaker
 ac/dc adapter



ASE-9575-HQ-H

CONTENTS:
 docking cradle
 swivel/desk wall mount
 intelligent handset
 ac/dc adapter

OPTIONAL ACCESSORIES

ASE-FA12
ASE-FA20
 external antenna



ASE-MNT03
 privacy handset
 and mount bracket



ASE-SPK01
 external speaker



ASE-MNTE2
 fist mic/speaker
 and mount bracket



ASE-9575-HQ

ELECTRICAL SPECIFICATIONS

Operating Voltage	10 - 32 VDC
Power Consumption	12 Watts (Avg Active)

ENVIRONMENTAL SPECIFICATIONS

Operating Temp Range	0°C to +70°C
Exposure	Indoor

MECHANICAL DIMENSIONS

Dimensions	7L x 7W x 5H inches (18 x 18 x 13 cm)
Weight	2.5 lbs (1.13kG)
Mounting	Swivel desk/wall mount

SHIPPING DIMENSIONS

Dimensions	14L x 10W x 6H inches (36 x 25 x 15 cm)
Weight	5 lbs (2.27 kG)